

In the name of Allah, the Most Gracious, the Most Merciful



Copyright disclaimer

"La faculté" is a website that collects medical documents written by Algerian assistant professors, professors or any other health practicals and teachers from the same field.

Some articles are subject to the author's copyrights.

Our team does not own copyrights for the most content we publish.


"La faculté" team tries to get a permission to publish any content; however , we are not able to be in contact with all authors.

If you are the author or copyrights owner of any kind of content on our website, please contact us on: facadm16@gmail.com to settle the situation.

All users must know that "La faculté" team cannot be responsible anyway of any violation of the authors' copyrights.

Any lucrative use without permission of the copyrights' owner may expose the user to legal follow-up.





Multiplications et différenciation des spermatogonies

**Méiose
Spermatocytes
I et II**

**Spermiogénèse :
Différenciation
spermatide en spz**

Spermiation






Figure 4 - Diagramme de la spermatogenèse de la puberté jusqu'à la mort

R | 1 : multiplication (durée = 27 jours de Ap à sp I) ; **2 :** accroissement + méiose I (durée = 27 jours) ; **3 :** méiose II (durée = 1 jour) ; **4 :** spermiogenèse = maturation (durée = 23 jours).




Follicule primordial




Cellule folliculaire aplatie

Ovocyte I bloqué en prophase I



Follicule primaire



Thèque indifférenciée

Membrane de Slavjansky (basale)


Cellule folliculaire cubique


Zone pellucide

Ovocyte I (bloqué en prophase I)





Follicule secondaire






Follicule tertiaire






Lacune remplie de
liquide folliculaire

Follicule mur (de Graaf)





1 : Règles, 2 : phase oestrogénique, 3 : phase oestroprogestative

